

Nodulator[®]

Granular Legume Inoculant

Specific for Group E & F

Field Pea, Lentil, Faba bean

1x10⁷cfu/g at DOM

- Technologically advanced carrier
 - Easy flow formulation
- Performance and convenience

HANDLE WITH CARE

NET CONTENTS: 25kg

BASF Australia Ltd ABN 62 008 437 867
Level 12, 28 Freshwater Place Southbank VICTORIA 3006, AUSTRALIA
Website: www.agro.basf.com.au

BASF New Zealand Ltd 110297
Level 4, 4 Leonard Isitt Drive, Auckland Airport, AUCKLAND 2022, NEW ZEALAND
Website: www.agro.basf.com.nz

Customer Service Hotline: 1800 558 399

® Registered trademark of BASF

Nodulator is convenient and economical with carried sowing rates for wider row spacing.

Nodulator flows smoothly through sowing equipment. It puts the inoculant in the furrow, safe from high soil surface temperatures, dry conditions and chemical treatment.

This granular inoculant contains living organisms and requires a relatively high moisture content compared to granular herbicides and insecticides. To optimize flow (especially under humid conditions) it is suggested to only fill large compartments to no more than 50 percent capacity.

DIRECTIONS FOR USE

Use loading auger to fill tank and screens provided by equipment manufacturer.

APPLICATION RATES

To calibrate equipment, refer to the table below for the application rate based on row spacing.

Row Spacing		Application
Inches	cm	kg/ha
7	17.8	6
8	20.3	5.3
9	23	4.6
10	25.4	4.2
11	27.9	3.8
12	30.5	3.5
13	33	3.2
14	36.6	3
15	38.1	2.8
16	40.6	2.6

STORAGE/PRECAUTIONS

- Store granular inoculant in a cool, dry place and away from herbicides, pesticides and bulk fertilisers.
- Store bags flat, keeping off of floor (ie pallet) to avoid direct contact with cold, damp surfaces.
- Use before expiration date.
- This product is recommended for use with airseeders.
- Apply granular inoculant directly to the furrow. **The product must not be applied at a depth that is less than the planting depth of the seed.**
- Do not mix granular inoculant with granular herbicides and fertilisers during planting.
- Remove any unused granules from the hopper box at the end of each days planting. Do not allow granules to sit in hopper overnight.
- Environmental conditions may effect flowability of the product. Regularly check metering system to ensure proper flow.

PRECAUTIONS

Avoid prolonged inhalation of dust. Use of a dust mask when handling is recommended.

WARRANTY DISCLAIMER

BASF warrants that this product conforms to the specifications set out on this label. BASF and the sellers of this product MAKE NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, AS TO THE CONDITION, QUALITY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THIS PRODUCT. Limitation of Remedies. The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability or other legal theories), shall be limited to, at BASF's election, one of

the following: (1) replacement of the amount of product used; or (2) refund of the purchase price paid for the product; PROVIDED THAT BASF's provision of (1) or (2) is conditioned on its first being promptly notified of such loss or damage in writing. BASF and the sellers of this product SHALL NOT BE LIABLE to the buyer or any other party claiming by, through, or under the buyer for any other losses or damages resulting or relating to this product, including but not limited to any DIRECT, INDIRECT, SPECIAL, PUNITIVE, ECONOMIC, INCIDENTAL, OR CONSEQUENTIAL DAMAGES or loss of profits, whether in contract, tort or otherwise. BASF neither assumes, nor authorizes any person to assume for it, any other liability in connection with the sale, storage, use or handling of this product other than expressly set forth herein. Acknowledgement. IN PURCHASING THIS PRODUCT, THE BUYERS AND ALL PARTIES CLAIMING BY, THROUGH OR UNDER THE BUYER, ACKNOWLEDGE AND AGREE TO THE TERMS AND CONDITIONS SET FORTH ON THIS LABEL AND FURTHER ACKNOWLEDGE THAT THEY FORM PART OF THE CONTRACT OF SALE BETWEEN THE SELLER AND BUYER OF THIS PRODUCT.

® Nodulator is a registered trademark of BASF

Batch No:

Date of Manufacture:

BASF Australia Ltd
ABN 62 008 437 867
Level 12, 28 Freshwater Place
Southbank VICTORIA 3006
AUSTRALIA

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE – ALL HOURS – AUSTRALIA WIDE

BASF New Zealand Ltd
110297
Level 4, 4 Leonard Isitt Drive
Auckland Airport AUCKLAND 2022
NEW ZEALAND

EMERGENCY PHONELINK 0800 944 955 TOLL FREE – ALL HOURS – NEW ZEALAND WIDE