

Seedstik™ Seed Coating Adhesive

For use in inoculating pasture legume seed
contains neutralised polymers

SeedStik™ is recommended for use
with SeedCote™ Seed Coating Material

NET CONTENTS: 10kg

(Makes 50 litres Adhesive Solution)

BASF Australia Ltd ABN 62 008 437 867
Level 12, 28 Freshwater Place Southbank VICTORIA 3006, AUSTRALIA
Website: www.agro.basf.com.au

BASF New Zealand Ltd 110297
3 Airpark Drive, Airport Oaks, MANKAU 2022, NEW ZEALAND
Website: www.agro.basf.com.nz

Customer Service Hotline: 1800 558 399

Instructions to make a 5 Litre Adhesive Solution

Note: Do NOT use SeedStik™ with legume inoculants which already contain Celstik Pre-Mixed Adhesive (eg. inoculants used for lupins, chickpea, cowpea, field pea, faba bean, lentil, adzuki bean, pigeon pea and lablab).

DIRECTIONS FOR USE

1. Slowly sprinkle 1 kg of SeedStik™ Seed Coating Adhesive into five (5) litres of hot water (>70°C) and stir vigorously for about 2 minutes.
2. Periodically stir solution for up to 3-4 hours to allow adhesive to fully dissolve.
3. Cool to less than 30°C. Use SeedStik™ solution within 3 days. Keep cool until use. **THOROUGHLY STIR SeedStik™ SOLUTION PRIOR TO USE.**
4. Add five (5) Standard Packs of NODULAID™ inoculant to the cooled SeedStik™ solution (less than 30°) and thoroughly stir to disperse to an even consistency.
5. Inoculate seed in rotary mixer or similar vessel and keep seed moving to ensure all seeds are wet. Recommended inoculation rates are as follows:
 - 4 to 5 litres SeedStik™ solution per 125 kg of lucerne or white clover seed.OR
 - 4 to 5 litres SeedStik™ solution per 250 kg of sub clover or medic seed.
6. Add SeedCote™ all at once at the rate of 25 kg per 125 kg of lucerne or white clover seed or 40 kg per 250 kg of sub clover or medic seed.
7. Allow seed to take up SeedCote™ for approximately 1-2 minutes, depending on batch size and machine. **DO NOT OVERMIX SEED AND SeedCote™.**
8. Sow prepared seed as soon as possible. Coated seed can be stored for up to one (1) week in a cool place, away from sunlight.

STORAGE AND DISPOSAL

Store in a dry place. Sweep-up spills as material is slippery when wet.

PRECAUTIONS

Avoid contact with eyes. Do not inhale dust. Refer to MSDS for additional information.

WARRANTY

This product conforms to the specifications verified from testing by BASF and found to be fit for the purposes specified on the label, PROVIDED THAT it is used strictly in accordance with the directions for use and other instructions set out on the label. The performance of this product can be adversely affected by factors such as 1) failure to follow the directions for use, 2) improper storage, 3) incorrect rate of application and 4) addition of incompatible seed dressings, chemicals or pesticides. The liability of BASF is limited to and cannot exceed that imposed on BASF by statute and the law. No further warranty or representation is given by or on behalf of BASF as to the fitness or suitability of the product for any other purposes. BASF is not liable for any consequential loss arising from the use of this product and, in any case, the liability is strictly limited to replacement of the product.

Batch No:

Date of Manufacture:

BASF Australia Ltd
ABN 62 008 437 867
Level 12, 28 Freshwater Place
Southbank VICTORIA 3006
AUSTRALIA

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE – ALL HOURS – AUSTRALIA WIDE

BASF New Zealand Ltd
110297
3 Airpark Drive,
Airport Oaks, MANKAU 2022,
NEW ZEALAND

EMERGENCY PHONELINK 0800944 955 TOLL FREE – ALL HOURS – NEW ZEALAND WIDE